

# What Is An Algorithm?

Algorithms are the ideas behind computer programs.

An algorithm is the thing which stays the same whether the program is in Pascal running on a Cray in New York or is in BASIC running on a Macintosh in Kathmandu!

To be interesting, an algorithm has to solve a general, specified problem. An algorithmic problem is specified by describing the set of instances it must work on and what desired properties the output must have.

## Example: Sorting

Input: A sequence of  $N$  numbers  $a_1 \dots a_n$

Output: the permutation (reordering) of the input sequence such as  $a_1 \leq a_2 \dots \leq a_n$ .

We seek algorithms which are *correct* and *efficient*.

## Correctness

For any algorithm, we must prove that it *always* returns the desired output for all legal instances of the problem.


For sorting, this means even if (1) the input is already sorted, or (2) it contains repeated elements.

# Correctness is Not Obvious!

The following problem arises often in manufacturing and transportation testing applications.

Suppose you have a robot arm equipped with a tool, say a soldering iron. To enable the robot arm to do a soldering job, we must construct an ordering of the contact points, so the robot visits (and solders) the first contact point, then visits the second point, third, and so forth until the job is done.

Since robots are expensive, we need to find the order which minimizes the time (ie. travel distance) it takes to assemble the circuit board.



You are given the job to program the robot arm. Give me an algorithm to find the best tour!

# Nearest Neighbor Tour

A very popular solution starts at some point  $p_0$  and then walks to its nearest neighbor  $p_1$  first, then repeats from  $p_1$ , etc. until done.

Pick and visit an initial point  $p_0$

$$p = p_0$$

$$i = 0$$

While there are still unvisited points


$$i = i + 1$$

Let  $p_i$  be the closest unvisited point to  $p_{i-1}$

Visit  $p_i$

Return to  $p_0$  from  $p_i$

This algorithm is simple to understand and implement and very efficient. However, it is **not correct!**



Always starting from the leftmost point or any other point will not fix the problem.

# Closest Pair Tour

Always walking to the closest point is too restrictive, since that point might trap us into making moves we don't want.

Another idea would be to repeatedly connect the closest pair of points whose connection will not cause a cycle or a three-way branch to be formed, until we have a single chain with all the points in it.

Let  $n$  be the number of points in the set

$d = \infty$

For  $i = 1$  to  $n - 1$  do

    For each pair of endpoints  $(x, y)$  of partial paths


        If  $dist(x, y) \leq d$  then

$x_m = x, y_m = y, d = dist(x, y)$

        Connect  $(x_m, y_m)$  by an edge

Connect the two endpoints by an edge.

Although it works correctly on the previous example, other data causes trouble:



This algorithm is **not correct!**

## A Correct Algorithm

We could try all possible orderings of the points, then select the ordering which minimizes the total length:

$d = \infty$

For each of the  $n!$  permutations  $\Pi_i$  of the  $n$  points

    If ( $cost(\Pi_i) \leq d$ ) then

$d = cost(\Pi_i)$  and  $P_{min} = \Pi_i$

Return  $P_{min}$

Since all possible orderings are considered, we are guaranteed to end up with the shortest possible tour.

Because it tries all  $n!$  permutations, it is extremely slow, much too slow to use when there are more than 10-20 points.

No efficient, correct algorithm exists for the *traveling salesman problem*, as we will see later.

# Efficiency

*"Why not just use a supercomputer?"*

Supercomputers are for people too rich and too stupid to design efficient algorithms!

A faster algorithm running on a slower computer will *always* win for sufficiently large instances, as we shall see.

Usually, problems don't have to get that large before the faster algorithm wins.

## Expressing Algorithms

We need some way to express the sequence of steps comprising an algorithm.

In order of increasing precision, we have English, pseudocode, and real programming languages. Unfortunately, ease of expression moves in the reverse order.

I prefer to describe the *ideas* of an algorithm in English, moving to pseudocode to clarify sufficiently tricky details of the algorithm.

# The RAM Model

Algorithms are the *only* important, durable, and original part of computer science *because* they can be studied in a machine and language independent way.

The reason is that we will do all our design and analysis for the RAM model of computation:


- Each "simple" operation (+, -, =, if, call) takes exactly 1 step.
- Loops and subroutine calls are *not* simple operations, but depend upon the size of the data and the contents of a subroutine. We do not want "sort" to be a single step operation.
- Each memory access takes exactly 1 step.

We measure the run time of an algorithm by counting the number of steps.

This model is useful and accurate in the same sense as the flat-earth model (which *is* useful)!

# Best, Worst, and Average-Case

The *worst case complexity* of the algorithm is the function defined by the maximum number of steps taken on any instance of size  $n$ .



The *best case complexity* of the algorithm is the function defined by the minimum number of steps taken on any instance of size  $n$ .

The *average-case complexity* of the algorithm is the function defined by an average number of steps taken on any instance of size  $n$ .

Each of these complexities defines a numerical function – time vs. size!



# Insertion Sort

One way to sort an array of  $n$  elements is to start with an empty list, then successively insert new elements in the proper position:

$$a_1 \leq a_2 \leq \dots \leq a_k \mid a_{k+1} \dots a_n$$

At each stage, the inserted element leaves a sorted list, and after  $n$  insertions contains exactly the right elements. Thus the algorithm must be correct.

But how *efficient* is it?

Note that the run time changes with the permutation instance! (even for a fixed size problem)

How does insertion sort do on sorted permutations?

How about unsorted permutations?

# Exact Analysis of Insertion Sort

Count the number of times each line of pseudocode will be executed.

Line	InsertionSort(A)	#Inst.	#Exec.
1	for j:=2 to len. of A do	c1	n
2	key:=A[j]	c2	n-1
3	/* put A[j] into A[1..j-1] */	c3=0	/
4	i:=j-1	c4	n-1
5	while $i > 0 \& A[i] > key$ do	c5	$t_j$
6	A[i+1]:= A[i]	c6	
7	i := i-1	c7	
8	A[i+1]:=key	c8	n-1

The **for** statement is executed  $(n-1) + 1$  times (why?)

Within the **for** statement, "key:=A[j]" is executed n-1 times.

Steps 5, 6, 7 are harder to count.

Let  $t_j = 1 +$  the number of elements that have to be slide right to insert the  $j$ th item.

Step 5 is executed  $t_2 + t_3 + \dots + t_n$  times.

Step 6 is  $t_{2-1} + t_{3-1} + \dots + t_{n-1}$ .

Add up the executed instructions for all pseudocode lines to get the run-time of the algorithm:

$$c_1 * n + c_2(n-1) + c_4(n-1) + c_5 \sum_{j=2}^n t_j + c_6 \sum_{j=2}^n (t_j - 1) + c_7 \sum_{j=2}^n (t_j - 1) + c_8$$

What are the  $t'_j$ 's? They depend on the particular input.

## Best Case

If it's already sorted, all  $t_j$ 's are 1.

Hence, the best case time is

$$c_1 n + (c_2 + c_4 + c_5 + c_8)(n - 1) = Cn + D$$

where  $C$  and  $D$  are constants.


## Worst Case

If the input is sorted in *descending* order, we will have to slide *all* of the already-sorted elements, so  $t_j = j$ , and step 5 is executed

$$\sum_{j=2}^n j = (n^2 + n)/2 - 1$$

# Exact Analysis is Hard!

We have agreed that the best, worst, and average case complexity of an algorithm is a numerical function of the size of the instances.



However, it is difficult to work with exactly because it is typically very complicated!

Thus it is usually cleaner and easier to talk about *upper and lower bounds* of the function.

This is where the dreaded big  $O$  notation comes in!

Since running our algorithm on a machine which is twice as fast will effect the running times by a multiplicative constant of 2 - we are going to have to ignore constant factors anyway.

# Names of Bounding Functions


Now that we have clearly defined the complexity functions we are talking about

- $g(n) = O(f(n))$  means  $C \times f(n)$  is an *upper bound* on  $g(n)$ .
- $g(n) = \Omega(f(n))$  means  $C \times f(n)$  is a *lower bound* on  $g(n)$ .
- $g(n) = \Theta(f(n))$  means  $C_1 \times f(n)$  is an upper bound on  $g(n)$  and  $C_2 \times f(n)$  is a lower bound on  $g(n)$ .

Got it?

All of these definitions imply a constant  $n_0$  *beyond which* they are satisfied. We do not care about small values of  $n$ .

# $O$ , $\Omega$ , and $\Theta$



The value of  $n_0$  shown is the minimum possible value; any greater value would also work.

(a)  $f(n) = \Theta(g(n))$  if there exist positive constants  $n_0$ ,  $c_1$ , and  $c_2$  such that to the right of  $n_0$ , the value of  $f(n)$  always lies between  $c_1 \cdot g(n)$  and  $c_2 \cdot g(n)$  inclusive.

(b)  $f(n) = O(g(n))$  if there are positive constants  $n_0$  and  $c$  such that to the right of  $n_0$ , the value of  $f(n)$  always lies on or below  $c \cdot g(n)$ .

(c)  $f(n) = \Omega(g(n))$  if there are positive constants  $n_0$  and  $c$  such that to the right of  $n_0$ , the value of  $f(n)$  always lies on or above  $c \cdot g(n)$ .

Asymptotic notation ( $O$ ,  $\Theta$ ,  $\Omega$ ) are as well as we can practically deal with complexity functions.

# What does all this mean?

$$\begin{aligned}3n^2 - 100n + 6 &= O(n^2) \text{ because } 3n^2 > 3n^2 - 100n + 6 \\3n^2 - 100n + 6 &= O(n^3) \text{ because } .01n^3 > 3n^2 - 100n + 6 \\3n^2 - 100n + 6 &\neq O(n) \text{ because } c \cdot n < 3n^2 \text{ when } n > c\end{aligned}$$

$$\begin{aligned}3n^2 - 100n + 6 &= \Omega(n^2) \text{ because } 2.99n^2 < 3n^2 - 100n + 6 \\3n^2 - 100n + 6 &\neq \Omega(n^3) \text{ because } 3n^2 - 100n + 6 < n^3 \\3n^2 - 100n + 6 &= \Omega(n) \text{ because } 10^{10^{10}} n < 3n^2 - 100 + 6\end{aligned}$$

$$\begin{aligned}3n^2 - 100n + 6 &= \Theta(n^2) \text{ because } O \text{ and } \Omega \\3n^2 - 100n + 6 &\neq \Theta(n^3) \text{ because } O \text{ only} \\3n^2 - 100n + 6 &\neq \Theta(n) \text{ because } \Omega \text{ only}\end{aligned}$$

Think of the equality as meaning *in the set of functions*.

Note that time complexity is every bit as well defined a function as  $\sin(x)$  or your bank account as a function of time.

# Testing Dominance

$f(n)$  dominates  $g(n)$  if  $\lim_{n \rightarrow \infty} g(n)/f(n) = 0$ , which is the same as saying  $g(n) = o(f(n))$ .

Note the little-oh – it means “grows strictly slower than”.

Knowing the dominance relation between common functions is important because we want algorithms whose time complexity is as low as possible in the hierarchy. If  $f(n)$  dominates  $g(n)$ ,  $f$  is much larger (ie. slower) than  $g$ .

- $n^a$  dominates  $n^b$  if  $a > b$  since

$$\lim_{n \rightarrow \infty} n^b/n^a = n^{b-a} \rightarrow 0$$

- $n^a + o(n^a)$  doesn't dominate  $n^a$  since

$$\lim_{n \rightarrow \infty} n^b/(n^a + o(n^a)) \rightarrow 1$$

Complexity	10	20	30	40
$n$	0.00001 sec	0.00002 sec	0.00003 sec	0.00004 sec
$n^2$	0.0001 sec	0.0004 sec	0.0009 sec	0.016 sec
$n^3$	0.001 sec	0.008 sec	0.027 sec	0.064 sec
$n^5$	0.1 sec	3.2 sec	24.3 sec	1.7 min
$2^n$	0.001 sec	1.0 sec	17.9 min	12.7 days
$3^n$	0.59 sec	58 min	6.5 years	3855 cent



# Working with the Notation

Suppose  $f(n) = O(n^2)$  and  $g(n) = O(n^2)$ .

What do we know about  $g'(n) = f(n) + g(n)$ ? Adding the bounding constants shows  $g'(n) = O(n^2)$ .

What do we know about  $g''(n) = f(n) - g(n)$ ? Since the bounding constants don't necessarily cancel,  $g''(n) = O(n^2)$

We know nothing about the lower bounds on  $g' + g''$  because we know nothing about lower bounds on  $f, g$ .

---

Suppose  $f(n) = \Omega(n^2)$  and  $g(n) = \Omega(n^2)$ .

What do we know about  $g'(n) = f(n) + g(n)$ ? Adding the lower bounding constants shows  $g'(n) = \Omega(n^2)$ .

What do we know about  $g''(n) = f(n) - g(n)$ ? We know nothing about the lower bound of this!

*Problem 2.1-4:*

(a) Is  $2n + 1 = O(2n)$ ?

(b) Is  $2^{2n} = O(2^n)$ ?

---

(a) Is  $2n + 1 = O(2n)$ ?

Is  $2n + 1 \leq c * 2n$ ?

Yes, if  $c \geq 2$  for all  $n$

(b) Is  $2^{2n} = O(2^n)$ ?

Is  $2^{2n} \leq c * 2^n$ ?

note  $2^{2n} = 2n * 2n$

Is  $2n * 2n \leq c * 2^n$ ?

Is  $2n \leq c$ ?

No! Certainly for any constant  $c$  we can find an  $n$  such that this is not true.